

Calcium Batteries Closed Type

NOVA

Green Energy Power

Marine




✓ long life...
✓ quick start...

Import available:  **MOTUS**

GENERAL USE MARINE


TYPE	AH	SAE	APPLICATIONS	DIMENSIONS			TERMINALS
				L	W	H	
57024	70	600	WITHOUT BHD	269	174	226	LEFT
57029	70	600	WITHOUT BHD	269	174	226	RIGHT
57113	71	620	LOW	277	175	175	RIGHT
57220	72	620	WITH BHD	277	175	190	RIGHT
57820	78	700	WITH BHD	277	175	190	RIGHT
58014	80	730	WITH BHD	315	175	175	RIGHT
59518	95	730	WITHOUT BHD	307	173	225	RIGHT
59519	95	730	WITHOUT BHD	307	173	225	LEFT
59218	92	780	WITH BHD	353	175	190	RIGHT
60044	100	850	WITH BHD	353	175	190	RIGHT
61023	110	800	WITH BHD	514	175	210	LEFT



TYPE	AH	SAE	APPLICATIONS	DIMENSIONS			TERMINALS
				L	W	H	
30HL-830	120	830	WITHOUT BHD	330,	173	229	RIGHT
63541	135	910	WITH BHD	514,	175,	210	LEFT
64020	140	950	WITH BHD	513,	189,	223	LEFT
67018	170	1000	WITHOUT BHD	513,	222,	220	LEFT
68032	180	1100	WITHOUT BHD	513,	222,	220	LEFT
70027	200	1150	WITHOUT BHD	518,	273,	241	LEFT
73011	230	1200	WITHOUT BHD	518,	273,	241	LEFT

MARINE

TYPE	AH	SAE	APPLICATIONS	DIMENSIONS			TERMINALS
				L	W	H	
SMF 24MS-500	65	630	MARINE	260,	174,	222	TM(LEFT)
SMF 24MS-680	80	810	MARINE	260,	174,	222	TM(LEFT)
SMF 27MS-730	90	860	MARINE	304,	173,	225	TM(LEFT)
SMF 27MS-780	95	910	MARINE	304,	173,	225	TM(LEFT)
SMF 31MS-850	100	980	MARINE	330,	173,	240	TM(LEFT)



- Exclusive patented liquid separator
- Insulating Cover anti-ignition and avoid heat
- Low separators plates protect folders
- Polypropylene container
- Processed lead calcium grids